


TestkingPass




Try Before You Buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... Select an exam...

Your email address **Free Download**



 HAPPY CUSTOMERS 51892	 DOWNLOADS 68912	 TEAM MEMBERS 56892	 SHARES 75162
---	---	--	--



<http://www.testkingpass.com>

Reliable test dumps & stable pass king & valid test questions

Exam : **NS0-155**

Title : NetApp Certified 7-Mode
Data Administrator

Vendors : Network Appliance

Version : DEMO

NO.1 You can avoid data corruption when you issue the `cf forcetakeover -d` command if the remote node is _____.

- A. in a giveback mode
- B. fenced off manually
- C. powered on and accessible
- D. powered off and inaccessible

Answer: D

NO.2 Which three statements are true about SnapLock volumes? (Choose three.)

- A. SnapMirror supports SnapLock volumes.
- B. There are two types of SnapLock volumes.
- C. SnapLock volumes support per-file retention periods.
- D. In Data ONTAP 7.2.5.1 and later, SnapLock Compliance volumes are not supported on the VSeries controller with NetApp Storage.

Answer: A,B,C

NO.3 Data ONTAP uses inodes in an active file system to reference _____.

- A. qtrees
- B. disk blocks
- C. file segments
- D. Snapshot copies

Answer: B

NO.4 What security mechanism can an administrator use on an OSSV client to set permissions allowing backups to a SnapVault secondary system?

- A. Via `/etc/hosts.equiv` file
- B. QSM access list modifiable via `svconfigurator`
- C. Contents inside a file called `access` and located in `OSSV /snapvault/etc`
- D. MD5 based authentication between SnapVault primary and secondary, with changeable password

Answer: B

NO.5 Which Data ONTAP option sets system-wide throttling for all transfers?

- A. `options transfer.wide.enable`
- B. `options transfer.throttle.enable`
- C. `options replication.wide.enable`
- D. `options replication.throttle.enable`

Answer: D

NO.6 To collect per client NFS statistics on a storage system, the option `nfs.per_client_stats.enable` must be set on.

- A. True
- B. False

Answer: A

NO.7 When using a Protection Manager policy to manage Open Systems SnapVault backups on a UNIX

server, which three are valid objects to include in the data set? (Choose three.)

- A. A file
- B. A qtree
- C. A directory
- D. The entire client

Answer: A,C,D

NO.8 Is NetApp storage Encryption supported in Data ONTAP 8.1.1 Cluster-Mode?

- A. No, but you can file a PVR to request support.
- B. No, it is targeted for a future release of Data ONTAP.
- C. Yes, only with a special license installed.
- D. Yes, it has been supported since 8.0.1.

Answer: D

NO.9 How does the NetApp Remote Agent (RSA) connect to NetApp Support?

- A. NetApp Support initiates a non-secure connection to the RSA.
- B. NetApp Support initiates a secure connection to the RSA.
- C. The RSA initiates a secure connection to NetApp Support.
- D. The RSA initiates a non-secure connection to NetApp support.

Answer: C

NO.10 There are three phases of Non Disruptive Volume Movement (NDVM). What is the correct sequence of these phases?

- A. Setup Phase, Mirror Phase, Cutover Phase
- B. Initialization phase, Copy Phase, Migrate Phase
- C. Begin Phase, Move Phase, Complete Phase
- D. Setup Phase, Data Copy Phase, Cutover Phase

Answer: D